

WHERE DESIGN  
AND PRINT COME  
TO LIFE!

Superb  
quality,  
remarkable  
pricing.



**UN-6198**

**DIGITAL SUBLIMATION TEXTILE PRINTERS**

**UNIX**<sup>®</sup>

Bringing Technological Edge

**SPEED: 310m<sup>2</sup>/h**

**PRINTHEAD**

**8\*EPS3200 ( 8 Epson 4720 )**



# UN-6198 Series

## Digital Sublimation Textile Printers

### TECHNICAL PARAMETERS

Printhead	EPSON I3200-A1	Nozzle Quantity	3200	
Printhead Quantity	8	Print Width	1900mm	
Ink Color	CMYK	Print Height	2-5mm	
Resolution	360*1200 / 360*1800 / 720*1200 / 720*1800(DPI)	Media Transfer	Auto Media Feeding and Taking-up System, Roll to Roll	
Speed <small>*Tested on linear print without feather</small>	2 Pass	310m <sup>2</sup> /h	Drying Method	Extra Dryer Device
	4 Pass	164m <sup>2</sup> /h	Ink Supply Method	Siphon Positive Pressure Ink Supply
	6 Pass	100m <sup>2</sup> /h	Head Moisture Method	Auto Head Cleaning and Moisturize
	* speed is tested on full-size media without feather function		Print Media	Transfer Paper
Ink Type	Type: Sublimation Ink, Water-based Ink(Dye or Pigment), Color: CMYK	Transmission interface	Gigabit LAN	
Computer System	Win7 64bits, Win8 64bits, Win10 64bits	File Forms	TIFF JPG EPS PDF...	
Operate Environment	Temp. : 18-30°C, Humidity: 35-65%	RIP Software	Maintop 6.0(standard equipped), Photoprint 19, Onyx 19, neoStampa	
Dimension	Printer Size: 3710*1500*1940mm Packing Size: 3900*1340*2040mm	Power Supply	210-230V 50\60HZ 16A Print Power: 1500W Dryer Power: Max. 9000W	
Computer Configuration	Hard Disk: 500G or more, GPU: ATI Mobility Memory 4G Random Access Memory: 8G CPU: Intel 4 i5/i7 processor or above			
Standard Configuration	Ink level Alarm System			

### PRODUCT FEATURES

Support 8 Epson head printing.  
Speed of 2 pass can reach up to 310m<sup>2</sup>/h.

Adopt updated integrated capping station module.

Equipped with constant tension taking-up system with imported motor, which ensures that media taking-up tension is constant and stable from beginning to end, excellent taking-up effect can be achieved.

Introduce Gigabit data transmission port, which can meet the demand of high resolution huge file transmission and guarantees the stability.

Dislocated carriage base plate is precision machined, which makes head position adjustment is more convenient.

Name brand core parts with high quality, THK guide, NSK bearing, IGUS chain, LEADSHINE servo motor etc., which composes stable FEDAR printing system and guarantees excellent output.

### Unix Stitchmachines Pvt. Ltd.

H.Off: UNIX House, 139 Khatodara GIDC, Behind Sub Jail, Ring Road, Surat 395002. Mob.: 95123 00777, 98251 28352

DELHI: E-46/7, 2nd Floor, Okhla Phase-II, New Delhi 110020. Mob.: +91 98790 08020

info@unixind.com • www.unixind.com